# Autonomous Robotics: Action, Perception and Cognition

Gregor Schöner
Institute for Neural Computation
Theory of Cognitive Systems
gregor.schoener@rub.de

### What comes to your mind when you hear the word "robot"

Google search

Web


News

Videos

Images

More ▼

Search tools




















































=> Humanoids (or anthropomorphic) robots
















### industrial robots are actually more common today

Indamentally, all factory automatization is a form or robotics today: "programmable" machines...

#### examples of robots


other than humanoid or industrial

### simple, single-task autonomous vehicles











iRobot (US)

[photo credits:WTEC final report 2006]

some of our own (older) autonomous vehicles







#### outdoor vehicles



Figure 2.3. Agricultural robotic vehicle (Int Harv, U.S.) (a). Mining haul truck (ACFR, Australia) (b).



#### cars: autonomous driving



#### legged robots




Figure C.58. The walking machines built by Dillmann's group.

## biologically inspired robotics











Figure C.57. Inspection robot.




Figure 7.2. Robotic modules can be reconfigured to "morph" into different locomotion systems including wheel-like rolling system (left), a snake-like undulatory locomotion system (right), a four-legged walking system (bottom).

#### underwater vehicles, ships




Figure 10. Advanced Oceonographic Sensor Network (AOSN) (unus vus)





Figure 2.11. HROV (Hybrid ROV) project (Johns Hopkins University (JHU) and Woods Hole (WHOL), U.S.).

#### airborne robots
























Figure 4.10. Dexterous arms at DLR, NASA and UMASS.

### some of our own robotic manipulators







### mobile robot manipulators



Figure C.28. Dexterous arm on mobile base, opening door (left), robot passing through doorway (right).

### our own mobile robot manipulator



[Arnold: 1998-2000]

- auto-nomos: giving laws to oneself
- minimally: autonomous robots generate behavior based on sensory information obtained from their own on-board sensors
- in contrast to industrial robots that are programmed in a fixed and detailed way

- but: even an industrial robot uses autonomous control to reach its programmed goals...
- => autonomy is expected to go beyond control, include decisions=qualitative change of behavior
  - e.g. avoid obstacle to the left vs. to the right
  - e.g., reach for one object rather than another

but: we do not expect autonomous robots to just do whatever "they want"... we expect to give them "order"

- autonomy as a "programming interface":
  - give instructions to a robot at a high level, in regular human language and gesture in a shared environment...
  - and let the autonomous robot deal with the "details" of how to achieve goals



#### why autonomous robots?

#### why autonomous robots?

- asked my then 18 year old son...
  - to clean up, to serve drinks
  - but they are just generally cool too..
  - ... (after some hesitation)... in the military

#### assistance robotics

- at home, in the work place
- collaborate with human users



#### toy/entertainment/animation



including therapy (autism)



#### military, fire fighting, rescue

- the "ideal" application because desire to remove human agent from the scene is consensual ...
- much US research







Figure B.11. Military Robot.



#### (robot ethics...interesting topic)

- may a military robot decide autonomously to shoot
  - … navy ships do that already…
- may a autonomous car decide between avoiding a pedestrian and preventing danger for car occupants?
  - fundamental problem: off-loading decisions from user to designer ...

### autonomous robotics as a "playground" of research



### autonomous robotics as a "playground" of research


- modern engineering models systems, treating the remainder stochastically.... autonomous robotics act in natural environments that are difficult to model
- autonomous robotics: highly interdisciplinary
- modern engineering uses modular design that limits the range over which modules interact/interfere...autonomous robotics: requires system integration

#### state of the art: current explosion

- through maturation of technology
- Ifast computation makes approach real-time that used to be not viable
- laser range finder
- modern software engineering facilitates programming
- many detailed and specific improvements

### what is entailed in designing an autonomous robot?

- sensors
- signal processing, digitization
- estimation, detection, classification
- planning, programming, reasoning
- communication, data security
- optimal control, control
- mechanics, actuators



#### => interdisciplinarity


#### 4 core problems/challenges


- perception
- interacting with humans
- background knowledge
- movement generation

#### (I) perception

- no autonomy without perception
- main channel: visual perception

## what is perception?





### what is perception?


- we do not perceive the stimulus but the world and meaning
- seeing is active:
  - bring objects into the attentional foreground
  - see to answer questions


## what is perception?

- attention
- segment
- recognize (invariantly)
- estimate (pose)









#### robot vision

- or computer vision or "artificial perception"
- image/movie understanding rather than image processing
- perception is currently the key bottleneck of autonomous robotics

## computer vision entails


detection




#### computer vision entails

#### segmentation

[segmentation based on template, Arathorn, 2006]




[segmentation based on pixel-wise classification, Serre et al., 2007]



#### computer vision entails


classification, recognition





#### approach: simply the environment

- environment designed and completely known: industrial robots
  - but also true for many robot demonstrations.. e.g., catching a object that is tracked by conventional technology
- environment designed to simplify task
  - e.g., dishwasher trivializes perception required to achive task
- environment is inherently simply ...
  - e.g., roads for autonomous driving



- a lot of individual, specific solutions based on insight....
- unsegmented vision for vehicles (everything close is an obstacle)
- learning from examples: machine learning
- exploit analogy to human nervous system...
  - attention
  - feature maps
  - **...**

### (2) interaction with humans

- in part a problem of perception as well...
- meaning is particularly important..











Figure 5.1 From left to right, journalist robot, shopping assistant robot, and the Paro seal robot (courtesy of University of Tokyo, ISI Lab., ATR-IRC Lab., and AIST, respectively).



Figure C.61. Rackham museum guide.



Robovie II, a shopping assistant robot (courtesy of ATR-IRC Lab.).









Figure 5.3 From left to right, manipulators in Robotic Room 1 and Robotic Room 3, and a wheelchair (courtesy of University of Tokyo, Intelligent Cooperative Systems Lab. and AIST [wheelchair]).


- perceptually grounding language
- intention perception
- gesture recognition
- joint attention
- dialogue management
- emotion recognition

## example: action parsing



# example: spatial language

"where is the green object"?



### ... other applications


- if successful opens up other applications
  - e.g., disembodied internet based assistant systems (like SIRI) that would share the visual environment of the user (through a phone camera or web cam)

## (3) back-ground knowledge

- implicit knowledge how the world works
  - how to open a door
  - that milk is in the fridge
  - how to grasp a glas vs. a cup vs. a spoon
  - how to grasp an object to achieve a particular goal
  - to clear space before moving something to a new place...
- John Searle call this "background" (knowledge, skills)

- "background" is where the traditional approach to artificial intelligence was positioned
  - knowledge bases
  - reasoning
  - action planning
  - architectures

- behavior based robotics
- behavioral organization



- special solutions designed/programmed "by hand"
- autonomous learning from experience... largely unsolved
- analogy with human nervous system whose structure reflects "knowledge" about how the world works...

## (4) movement generation

- classical approach works very well: control and optimal control
  - => fast, precise trajectory formation in industrial robots

#### but:

- high demands on perception
- less well developed for online updating in dynamic scenes
- soft actuation for safe interaction with humans

- exploit analogies with human movement coordination, movement primitives
- exploit analogy with muscle: soft visco-elastic actuators